

Dräger PARAT® 3260 Filtering Escape Device

The Dräger PARAT® 3260 is a mouthpiece / nose clip escape device equipped with a multi-gas ABEK15 filter. Approved to the only recognized standard for filtering industrial escape devices (DIN 58647-7), it provides users a minimum of 15 minutes escape time. Compared to PARAT® 3200, the device and filter are vacuum sealed in an aluminum barrier bag, making it better suited for diverse climate zones.



Benefits

Proven protection for at least 15 minutes

The Dräger PARAT 3260 reliably protects the user from a wide range of toxic industrial gases for at least 15 minutes. It is approved in accordance with DIN 58647-7.

Mouthpiece with nose clip

The escape respirator consists of a mouthpiece with nose clip and an integrated ABEK15 filter. It is easy and safe to don, even for bearded wearers. It provides very low leakage values. The small and compact size makes it easy to carry.

Various carrying options

The escape device is standardly equipped with a belt clip. There are four additional carrying options available: a grip clip, slip guard carabiner, sho ulder strap and hand strap, keeping the PARAT 3000 series secure during daily tasks. With the exception of the grip clip, the devices can be assembled to the existing belt clip. The grip clip can be assembled after removing the belt clip from the unit.

Robust and ergonomic packaging

The ergonomic design with traction grip areas on the housing allows for easy and safe handling. The robust case provides stability even under extreme working conditions.

Transparent backplate

The backplate of the PARAT 3260 is transparent and offers a clear view of the device. Service intervals are easy to keep track of as the expiration date is on the barrier bag and can be easily read. Pictograms show the correct donning procedure and remain protected under the backplate against abrasion.

Low cost of ownership

The device has a 12 year lifetime, provided that the barrier bag is replaced after 6 years. Ensures maximum protection at a reasonable cost.

Vacuum sealed for high protection

The escape device is vacuum sealed in a robust aluminum barrier bag. Protects the system in a wide variety of ambient conditions.

System Components



Grip clip for Dräger PARAT® 3000

The grip clip carrying option is intended for applications when a securely fastened clip is needed. With the grip clip the device can be attached to work clothes or pockets. The grip clip can easily be assembled to the PARAT® 3000 after removing the belt clip.



Slip guard carabiner for Dräger PARAT® 3000

The slip guard carabiner is a carrying option which fulfills two functions. First, the function of a carabiner hook. Secondly, it provides a drop safety for the unit. When carrying the PARAT® 3000 on a belt clip, the slip guard carabiner can be hooked onto the belt loop and in case the unit dislodges from the belt, it remains attached to the user. The slip guard carabiner can be assembled on the belt clip of the PARAT® 3000.



Shoulder strap for Dräger PARAT® 3000

The shoulder strap is suitable for recurring operations where a device is quickly carried along and the user does not have a belt. The shoulder strap can be assembled on the belt clip of the PARAT® 3000.



Hand strap for Dräger PARAT® 3000

The hand strap carrying option is optimal for short-term applications when a device needs to be accessed quickly. It allows users to carry the unit on their wrist. This option is especially popular among visitors who are on-site only for a short time. The hand strap can be assembled on the belt clip of the PARAT® 3000.

System Components



Spare parts set Dräger PARAT® 3260

Includes a mouthpiece and nose clip fitted with an ABEK15 escape filter sealed in an aluminum barrier bag. Set includes a sealing tag to reseal the case. It has a 6 year lifetime.

Related Products



PARAT® 3200 Training unit

This training unit is designed for users who want to practice the use of the PARAT® 3200 mouthpiece escape device. The training unit includes an empty filter dummy, which can be hygienically cleaned after use. Additionally, the training unit is clearly marked as "For Training Only".



Dräger PARAT® 3160

The Dräger PARAT® 3160 is a half mask escape device equipped with a multi-gas ABEK15 filter. Approved to the only recognized standard for filtering industrial escape devices (DIN 58647-7), it provides users a minimum of 15 minutes escape time. Compared to PARAT® 3100, the half mask and filter are vacuum sealed in an aluminum barrier bag, making it better suited for diverse climate zones.

Technical Data

| Filter performance | ABEK15 gas filter for protection against organic and anorganic gases and vapors, approved in accordance with DIN 58647 part 7 | |
|------------------------|---|--|
| Duration of use | At least 15 minutes | |
| Shelf life | Total lifetime 12 years, provided the barrier bag is exchanged after | |
| | 6 years. | |
| Weight | Approx. 354 g (12.5 oz) | |
| Dimensions (L x W x H) | 170 x 110 x 60 mm (6.7 x 4.3 x 2.4 in) | |
| Approval | Approved in accordance with DIN 58647 part 7 (CE mark 0158) | |

Filter capacity according to DIN 58647-7*

| Туре | Test gas | Concentration in ppm | Breakthrough in ppm | Minimum breakthrough time in min |
|------|---|----------------------|---------------------|----------------------------------|
| Α | Cyclohexane (C ₆ H ₁₂) | 2,500 | 10 | 15 |
| В | Chlorine (Cl ₂) | 2,500 | 0.5 | 15 |
| B | Hydrogen sulfide (H ₂ S) | 2,500 | 10 | 15 |
| В | Hydrogen cyanide (HCN) | 2,500 | 10 | 15 |
| | Sulfur dioxide (SO ₂) | 2,500 | 5.0 | 15 |
| K | Ammonia (NH ₃) | 2,500 | 25 | 15 |
| В | Hydrogen sulfide (H ₂ S) | 10,000** | 20 | 5 |

^{*} Test conditions according to DIN 58647-7: 30 I/min, 70 % relative humidity, 20 °C (68 °F).

Ordering Information

PARAT® 3200).

| Dräger PARAT® 3260 | Order no. |
|---|-----------|
| Dräger PARAT® 3260 Mouthpiece respirator | 37 04 479 |
| (vacuum sealed in an aluminum barrier bag) | |
| Dräger PARAT® 3200 Training unit | 37 04 884 |
| Carrying options | |
| Grip clip for Dräger PARAT® 3000 | 37 04 420 |
| Slip guard carabiner for Dräger PARAT® 3000 | 37 04 422 |
| Shoulder strap for Dräger PARAT® 3000 | 37 04 520 |
| Hand strap for Dräger PARAT® 3000 | 37 04 519 |
| Replacement parts | |
| Spare part set Dräger PARAT® 3260 | R 62 627 |
| Spare parts kit lid Dräger PARAT® 3260 | 37 03 258 |
| Sealing strap for Dräger PARAT® 3000 | R 56 319 |
| Sealing tag Dräger PARAT® 3000 (50 pieces) | R 56 355 |
| Belt clip (replacement) for Dräger PARAT® 3000 | 37 02 205 |
| Filter dummy for Dräger PARAT® 3000 Training unit | R 58 345 |

^{**} To determine the breakthrough capacity of the gas filter it is additionally tested with 10,000 ppm hydrogen sulfide.

Notes

Not all products, features, or services are for sale in all countries.

Mentioned Trademarks are only registered in certain countries and not necessarily in the country in which this material is released. Go to www.draeger.com/trademarks to find the current status.

CORPORATE HEADQUARTERS

Drägerwerk AG & Co. KGaA Moislinger Allee 53–55 23558 Lübeck, Germany www.draeger.com

REGION DACH

Dräger Safety AG & Co. KGaA Revalstraße 1 23560 Lübeck, Germany Tel +49 451 882 0 Fax +49 451 882 2080 info@draeger.com

REGION EUROPE

Dräger Safety AG & Co. KGaA Revalstraße 1 23560 Lübeck, Germany Tel +49 451 882 0 Fax +49 451 882 2080 info@draeger.com

REGION MIDDLE EAST, AFRICA

Dräger Safety AG & Co. KGaA Branch Office P.O. Box 505108 Dubai, United Arab Emirates Tel +971 4 4294 600 Fax +971 4 4294 699 contactuae@draeger.com

REGION ASIA PACIFIC

Draeger Singapore Pte. Ltd. 61 Science Park Road The Galen #04-01 Singapore 117525 Tel: +65 6872 9288 Fax: +65 6259 0398 asia.pacific@draeger.com

REGION CENTRAL AND SOUTH AMERICA

Draeger Panamá Comercial S. de R.L. 59 East Street, Nuevo Paitilla, House 31, San Francisco Town Panama City, Panama Tel +507 377-9100 / Fax -9130 servicioalcliente@draeger.com

REGION NORTH AMERICA

Draeger, Inc.
3135 Quarry Road
Telford, PA 18969
Tel +1 800 4DRAGER
(+1 800 437 2437)
Fax +1 215 723 5935
info.usa@draeger.com

Locate your Regional Sales Representative at: www.draeger.com/contact

